


- 10 綿布
- 11 リング体
- 12 隆起部
- 13 空隙部
- 14 押え板
- 15 ビス








【図4】



[図5]



DERWENT-ACC-NO:

2006-280287

DERWENT-WEEK:

200629

COPYRIGHT 2006 DERWENT INFORMATION LTD

TITLE:

ij

Multifunctional scratching tool for e.g. elderly has

cylindrical column that is freely attachable and

detachable to and from other end of rod-shaped element

with the use of belt

INVENTOR: MORI, M

PATENT-ASSIGNEE: MORI M [MORII]

PRIORITY-DATA: 2004JP-0290351 (October 1, 2004)

PATENT-FAMILY:

PUB-NO PUB-DATE LANGUAGE PAGES

MAIN-IPC

JP <u>2006101989</u> A April 20, 2006 N/A 007 A61H

007/00

APPLICATION-DATA:

PUB-NO APPL-DESCRIPTOR APPL-NO APPL-DATE
JP2006101989A N/A 2004JP-0290351 October 1,

2004

INT-CL (IPC): A61H007/00, A61H023/06, A61M035/00

ABSTRACTED-PUB-NO: JP2006101989A

## BASIC-ABSTRACT:

NOVELTY - A medical agent application portion (5) with one or more shallow ring-shaped recesses (4) forming a corrugated surface. The application portion has a portion (3), which receives a rod-shaped element (1). A cylindrical column (6) is freely attachable and detachable to and from the other end of the rod-shaped element with the use of a belt (8). A ring (11) is adapted to receive a cotton fabric (10) being used for application.

USE - Used by e.g. elderly for applying medical agent to a region unreachable by the hand, and for shoulder massaging.

ADVANTAGE - Promotes convenience and ease of use.

DESCRIPTION OF DRAWING(S) - The figure shows the perspective diagram of a multifunctional scratching tool.

Rod-shaped element 1

Portion 3

Ring-shaped recesses 4

Medical agent application portion 5

Cylindrical column 6

Belt 8

Cotton fabric 10

Ring 11

CHOSEN-DRAWING: Dwg.1/5

TITLE-TERMS: MULTIFUNCTION SCRATCH TOOL ELDERLY CYLINDER COLUMN FREE ATTACH

DETACH END ROD SHAPE ELEMENT BELT

DERWENT-CLASS: P33 P34

SECONDARY-ACC-NO:

Non-CPI Secondary Accession Numbers: N2006-239030